

**SAFETY DATA SHEET**  
CB-80 Insecticide

SDS # : 6545-A  
Revision date: 2019-04-03  
Format: NA  
Version 2.01



**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Identifier**

**Product Name** CB-80 Insecticide

**Other means of identification**

**Product Code(s)** 6545-A

**Synonyms** Pyrethrins, PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

**Active Ingredient(s)** Pyrethrins, Piperonyl Butoxide

**Recommended use of the chemical and restrictions on use**

**Recommended Use:** Insecticide

**Restrictions on Use:** Use as recommended by the label.

**Supplier Address**

FMC Corporation  
2929 Walnut Street  
Philadelphia, PA 19104  
(215) 299-6000 (General Information)  
msdsinfo@fmc.com (E-Mail General Information)

**Emergency telephone number**

Medical Emergencies :  
1 800 / 331-3148 (U.S.A. & Canada)  
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

**2. HAZARDS IDENTIFICATION**

**Classification**

**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 2

**GHS Label elements, including precautionary statements**

**EMERGENCY OVERVIEW**

**Warning****Hazard Statements**

H332 - Harmful if inhaled  
 H319 - Causes serious eye irritation  
 H335 - May cause respiratory irritation  
 H336 - May cause drowsiness or dizziness  
 H223 - Flammable aerosol  
 H229 - Pressurized container: May burst if heated

**Precautionary Statements - Prevention**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
 P211 - Do not spray on an open flame or other ignition source  
 P251 - Do not pierce or burn, even after use  
 P280 - Wear eye protection/ face protection

**Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P337 + P313 - If eye irritation persists: Get medical advice/ attention  
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P312 - Call a POISON CENTER or doctor if you feel unwell  
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
 P331 - Do NOT induce vomiting

**Precautionary Statements - Storage**

P405 - Store locked up  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

**Precautionary Statements - Disposal**

P501 - Dispose of contents/container according to label directions

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

May be harmful if swallowed. Harmful to aquatic life with long lasting effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	50-70
Isopropanol	67-63-0	15-30
Petroleum distillates, hydrotreated light	64742-47-8	1-5
Piperonyl butoxide	51-03-6	4
Pyrethrins	8003-34-7	0.5

Synonyms are provided in Section 1.

#### 4. FIRST AID MEASURES

<b>Eye Contact</b>	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
<b>Skin Contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>Ingestion</b>	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
<b>Most important symptoms and effects, both acute and delayed</b>	Central nervous system effects.
<b>Indication of immediate medical attention and special treatment needed, if necessary</b>	Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water spray.
<b>Specific Hazards Arising from the Chemical</b>	Contents under pressure.
<b>Explosion data</b>	
<b>Sensitivity to Mechanical Impact</b>	No information available.
<b>Sensitivity to Static Discharge</b>	No information available.
<b>Protective equipment and precautions for firefighters</b>	Isolate fire area. Evaluate upwind. As in any fire, wear self-contained breathing apparatus and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.
<b>Other</b>	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

#### 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

**Storage** Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

**Incompatible products** Strong oxidizing agents. Bases. Powdered earth metals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Isopropanol (67-63-0)	STEL 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	Mexico: TWA 200 ppm Mexico: STEL 400 ppm
Pyrethrins (8003-34-7)	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Isopropanol (67-63-0)	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	TWA: 200 ppm  STEL: 400 ppm	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated light (64742-47-8)	TWA: 200 mg/m <sup>3</sup> Skin	-	-	-
Pyrethrins (8003-34-7)	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

**Hand Protection** Protective gloves

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

Appearance	Yellow, Aerosolized liquid
Physical State	Liquid Aerosol
Color	yellow
Odor	Pyrethrins
Odor threshold	No information available
pH	No information available
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	14.4 °C / 58 °F (Flame extension 5" - no flashback)
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	7.29 lb/gal (0.874 g/cm <sup>3</sup> )
Specific gravity	0.8746
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

**10. STABILITY AND REACTIVITY**

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible materials	Strong oxidizing agents. Bases. Powdered earth metals.
Hazardous Decomposition Products	Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

**11. TOXICOLOGICAL INFORMATION****Product Information**

LD50 Oral	2,370 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation	2.5 mg/L 4 hr (rat)
Eye Contact	Slightly or non-irritating (rabbit)
Skin Contact	Slightly or non-irritating (rabbit)
Sensitization	May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol (67-63-0)	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Petroleum distillates, hydrotreated light	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h

**CB-80 Insecticide**

**SDS # : 6545-A**  
**Revision date: 2019-04-03**  
**Version 2.01**

(64742-47-8)			
Piperonyl butoxide (51-03-6)	= 4570 mg/kg ( Rat ) = 6150 mg/kg ( Rat )	= 1880 mg/kg ( Rabbit ) > 7950 mg/kg ( Rat )	
Pyrethrins (8003-34-7)	= 200 mg/kg ( Rat )	= 1350 mg/kg ( Rat ) = 2060 mg/kg ( Rabbit ) = 300 mg/kg ( Rabbit )	= 3.4 mg/L ( Rat ) 4 h

**Information on toxicological effects**

**Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Mutagenicity** Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.  
**Carcinogenicity** n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).  
**Reproductive toxicity** No information available.  
**Developmental toxicity** Isopropanol has been reported to cause teratogenicity in laboratory animals.  
**STOT - single exposure** Not classified.  
**STOT - repeated exposure** Not classified.  
**Target organ effects** Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen.

**Aspiration hazard** The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

**Legend:**  
 IARC (International Agency for Research on Cancer)  
 Group 2A - Probably Carcinogenic to Humans  
 Group 3 - Not classifiable as to its carcinogenicity to humans

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

<b>Piperonyl butoxide (51-03-6)</b>				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	µg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates, hydrotreated light 64742-47-8		96 h LC50: = 2.2 mg/L (Lepomis macrochirus) static 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through	96 h LC50: = 4720 mg/L (Daphnia magna)
Isopropanol 67-63-0	72 h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96 h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96 h LC50: = 11130 mg/L (Pimephales promelas) static 96 h LC50: = 9640 mg/L (Pimephales promelas) flow-through 96 h LC50:	48 h EC50: = 13299 mg/L (Daphnia magna)

		> 1400000 µg/L (Lepomis macrochirus)	
Pyrethrins 8003-34-7		96 h LC50: 0.003 - 0.0046 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 0.0031 - 0.0038 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.02 - 0.03 mg/L (Oncorhynchus mykiss) static 96 h LC50: 0.0322 - 0.0472 mg/L (Lepomis macrochirus) static 96 h LC50: 0.0425 - 0.121 mg/L (Pimephales promelas) flow-through 96 h LC50: 0.224 - 0.458 mg/L (Pimephales promelas) static 96 h LC50: = 0.054 mg/L (Oncorhynchus mykiss) 96 h LC50: = 0.074 mg/L (Lepomis macrochirus)	

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

**Contaminated Packaging** Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

**14. TRANSPORT INFORMATION**

**DOT**

**Packaging Type** 17 oz. Container  
**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Consumer Commodity  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 17 oz. Container: ORM-D  
 13 lb. Cylinder: 2.1

**TDG**

**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Aerosols  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 2.1

**ICAO/IATA**

**UN/ID no** 17 oz. Container ID8000  
 13 lb. Cylinder: UN 1954  
**Proper Shipping Name** 17 oz. Container: Consumer Commodity  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 17 oz. Container: 9  
 13 lb. Cylinder: 2.1

**IMDG/IMO**

**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Aerosols

**CB-80 Insecticide**

SDS # : 6545-A

Revision date: 2019-04-03

Version 2.01

Hazard class

13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
2.1**15. REGULATORY INFORMATION****U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	15-30	1.0
Piperonyl butoxide - 51-03-6	51-03-6	4	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins 8003-34-7	1 lb 0.454 kg	

**FIFRA Information**

*This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:*

**CAUTION**

*Contains petroleum distillates. Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Prolonged or repeated contact with the skin may cause allergic reactions in some individuals*

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania



**CB-80 Insecticide**

SDS # : 6545-A  
 Revision date: 2019-04-03  
 Version 2.01

1,1-Difluoroethane 75-37-6	X	X	
Isopropanol 67-63-0	X	X	X
Piperonyl butoxide 51-03-6	X		
Pyrethrins 8003-34-7	X	X	X

**International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
1,1-Difluoroethane 75-37-6	X	X	X	X	X	X	X	X
Isopropanol 67-63-0	X	X	X	X	X	X	X	X
Petroleum distillates, hydrotreated light 64742-47-8	X	X	X		X	X	X	X
Piperonyl butoxide 51-03-6	X	X	X	X	X	X	X	X
Pyrethrins 8003-34-7		X	X		X	X	X	X

**Mexico - Grade** Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Isopropanol		Mexico: TWA 200 ppm Mexico: STEL 400 ppm
Pyrethrins		Mexico: TWA 5 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use - Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Pyrethrins	500 2500 kg/yr	500 kg/yr

**CANADA**

**WHMIS Statement**

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

**WHMIS Hazard Class**

- A - Compressed gases
- B5 - Flammable aerosol
- D1B - Toxic materials
- D2B - Toxic materials



**16. OTHER INFORMATION**

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 3	Physical hazard 0	Personal Protection X

\*Indicates a chronic health hazard.

## CB-80 Insecticide

SDS # : 6545-A  
Revision date: 2019-04-03  
Version 2.01

### NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2019-04-03  
Reason for revision: SDS sections updated

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**